




NOTES:

1. DIMENSIONS SHOWN IN [] ARE IN INCHES
2. HOLES ARE FOR #8 PAN HEAD WOOD SCREWS OR 4.5MM WOOD SCREWS.
3. SET NOMINAL POCKET DEPTH TO 11.0 MM. USE UP TO 11.2 MM FOR TIGHTER FIT; USE 10.8 MM FOR LOOSER FIT.



3X 2.4mm - .093 (Soft Wood)
 3X 2.8mm - .109in (Hard Wood)



SECTION B-B





THIS DRAWING IS PROPERTY OF:
 KNAPP USA INC.
 12245 NATIONS FORD RD STE 403
 PINEVILLE, NC 28134
 WWW.KNAPPCONNECTORS.COM

MATERIAL			
PART NO. 4030 DOUBLE CLIP SERIES	PART NAME CLOSED POCKET		
DRAWN BY JAB	ISO NO	SCALE 2:1	REVISION V02

NOTES:

1. DIMENSIONS SHOWN IN [] ARE IN INCHES
2. HOLES ARE FOR #8 PAN HEAD WOOD SCREWS OR 4.5MM WOOD SCREWS.
3. SET NOMINAL POCKET DEPTH TO 11.0 MM. USE UP TO 11.2 MM FOR TIGHTER FIT; USE 10.8 MM FOR LOOSER FIT.





THIS DRAWING IS PROPERTY OF:
KNAPP USA INC.
12245 NATIONS FORD RD STE 403
PINEVILLE, NC 28134
WWW.KNAPPCONNECTORS.COM

MATERIAL			
PART NO. 4030 DOUBLE CLIP SERIES		PART NAME OPEN POCKET	
DRAWN BY JAB	ISO NO	SCALE 2:1	REVISION V01

NOTES:

1. DIMENSIONS SHOWN IN [] ARE IN INCHES
2. HOLES ARE FOR #8 PAN HEAD WOOD SCREWS OR 4.5MM WOOD SCREWS.
3. SET NOMINAL POCKET DEPTH TO 11.0 MM.
USE UP TO 11.2 MM FOR TIGHTER FIT; USE 10.8 MM FOR LOOSER FIT.





THIS DRAWING IS PROPERTY OF:
KNAPP USA INC.
12245 NATIONS FORD RD STE 403
PINEVILLE, NC 28134
WWW.KNAPPCONNECTORS.COM

MATERIAL			
PART NO. 4030 DOUBLE CLIP SERIES		PART NAME PASS THRU POCKET	
DRAWN BY JAB	ISO NO	SCALE 1:1	REVISION V01

NOTES:

1. DIMENSIONS SHOWN IN [] ARE IN INCHES
2. HOLES ARE FOR #8 PAN HEAD WOOD SCREWS OR 4.5MM WOOD SCREWS.
3. SET NOMINAL POCKET DEPTH TO 11.0 MM.
USE UP TO 11.2 MM FOR TIGHTER FIT; USE 10.8 MM FOR LOOSER FIT.



THIS DRAWING IS PROPERTY OF:
 KNAPP USA INC.
 12245 NATIONS FORD RD STE 403
 PINEVILLE, NC 28134
 WWW.KNAPPCONNECTORS.COM

MATERIAL				
PART NO. 4030 DOUBLE CLIP SERIES		PART NAME SEMI OPEN POCKET		
DRAWN BY JAB	ISO NO	SCALE 2:1	REVISION V01	